

SHOWER
Contemporary Pressure Balancing
Shower Set (Rough & Trim)
G-7296-LM39S

GRAFF[®]



Information

- 1/2" Pressure Balancing Valve with Diverter
- 8" Showerhead w/ 12" Wall-Mounted Shower Arm
- Includes Multi-function handshower with wall bracket and 59" hose
- Flow Rates: showerhead ≤ 2.0 max gpm, handshower ≤ 1.5 max gpm
- CALGreen

SHOWER
Concealed Pressure Balancing
Valve Rough w/Diverter
G-7055

GRAFF®



Information

- Anti-scald protection
- 1/2" universal inlets/outlets with male threads
- Built-in service stops
- Push-button diverter
- For use with tub & shower configuration
- Supplied with protective plastic guard

Finishes



Brushed
Nickel



Polished
Chrome



Steelnox®
(Satin Nickel)

G-7055

1/2" Rough Valve w/Diverter




Product Features

- Anti-scald protection
- 1/2" universal inlets/outlets with male threads
- Built-in service stops
- Push-button diverter
- For use with tub & shower configuration
- Supplied with protective plastic guard

Warranty

- Limited lifetime warranty

For complete warranty information go to www.graff-faucets.com/en-nam/warranty



The measurements shown are for reference only. Products and specifications shown are subject to change without notice. Revised 06/2014.

www.graff-faucets.com | phone: 800-954-4723

SHOWER
Qubic Tre SOLID Trim Plate
w/Handle
G-7090-LM39S-T

GRAFF[®]



Information

- Single metal lever handle
- Decorative trim plate
- Includes push-button diverter
- Use with G-7055 pressure balancing rough valve for shower and tub configurations
- To complete package, you must order rough valve
- ADA

Finishes



Brushed
Nickel





Polished
Chrome



Stealnox[®]
(Satin Nickel)

G-7090



SHOWER
8" Square Brass Showerhead
G-8438

GRAFF[®]



Information

- 1/4" thick
- 144 no-clog, easy-clean rubber spray nozzles
- Recommended use with ceiling shower arm
- Recommended for use at no more than 10 degrees tilt
- Showerhead flow rate ≤ 1.8 max gpm
- CALGreen

Finishes



Brushed
Nickel



Polished
Chrome



Steelnox[®]
(Satin Nickel)

G-8438

Aqua-Sense Collection
Contemporary 8" Square Showerhead





Product Features

- 1/4" thick
- 144 no-clog, easy-clean rubber spray nozzles
- Showerhead flow rate ≤ 1.8 max gpm

Available Finishes

- Polished Chrome
G-8438-PC
- Brushed Nickel
G-8438-PN
- Polished Nickel
G-8438-BNi
- Unfinished Brass*
G-8438-UB*
- Steinox
G-8438-SN
- Olive Brass*
G-8438-OB*
- Architectural Black with Chrome Accents*
G-8438-PC/BK*
- Gold*
G-8438-AU*
- Brushed Gold*
G-8438-BAU

* Special order finish- call for availability



Code Compliance

- CALGreen

Warranty

- Limited lifetime warranty


For complete warranty information go to www.graff-designs.com/en-nam/warranty

The measurements shown are for reference only. Products and specifications shown are subject to change without notice. Revised 12/2017

www.graff-designs.com | phone: 800-954-4723

SHOWER
Contemporary 12" Shower Arm
G-8530

GRAFF®



Information

- Includes arm and square flange
- 1/2" NPT male thread inlet
- For use with all showerheads (especially G-8438)

Finishes



Brushed
Nickel




Polished
Chrome



Steelnox®
(Satin Nickel)

G-8530



SHOWER
59" Shower Hose
G-8605

GRAFF®



Information

- Brass spiral flexible hose with conical nut

Finishes



Brushed
Nickel



Polished
Chrome



Steelnix®
(Satin Nickel)



Product Features

- Brass spiral flexible hose with conical nut

Warranty

- Limited lifetime warranty

For complete warranty information go to www.graff-designs.com/en-nam/warranty

Available Finishes


- Polished Chrome
G-8605-PC
- Polished Nickel
G-8605-PN
- Brushed Nickel
G-8605-BNi
- Unfinished Brushed Brass*
G-8605-UBB*
- Unfinished Brass*
G-8605-UB*
- Matte Black*
G-8605-MBK*
- Architectural Black*
G-8605-BK*
- Architectural White*
G-8605-WT*
- Olive Brass*
G-8605-OB*
- Gunmetal*
G-8605-GM*
- Vintage Brushed Brass*
G-8605-VBB*
- Steelnox (Satin Nickel)
G-8605-SN
- 24K Brushed Gold*
G-8605-BAU*
- 24K Gold*
G-8605-AU*
- Gunmetal Distressed*
G-8605-GMD*

* Special order finish- call for availability



SHOWER
Contemporary Square Wall
Bracket for Handshower
G-8632

GRAFF[®]



Information

- Solid brass construction

Finishes



Brushed
Nickel



Polished
Chrome



Steelnox[®]
(Satin Nickel)

G-8632

Contemporary Square Wall Bracket for Handshower



Product Features

- Solid brass construction


Available Finishes

- Polished Chrome
G-8632-PC
- Steelnox[®]
G-8632-SN

Warranty

- Limited lifetime warranty

For complete warranty information go to
<http://www.graff-faucets.com/en/info/faqs>



The measurements shown are for reference only. Products and specifications shown are subject to change without notice. Revised 02/2017.

www.graff-faucets.com | phone: 800-954-4723

SHOWER
Contemporary Square Wall Supply
Elbow
G-8633

GRAFF®



Information

- 1/2" NPT female thread inlet

Finishes



Brushed
Nickel



Polished
Chrome



Steelnox®
(Satin Nickel)

G-8633

Contemporary Square Wall Supply Elbow



Product Features

- 1/2" NPT female thread inlet



Available Finishes

- Polished Chrome
G-8633-PC
- Steelnox[®]
G-8633-SN
- Architectural Black w/Chrome
Accents
G-8633-PC/BK

Warranty

- Limited lifetime warranty

For complete warranty information go to
<http://www.graff-faucets.com/en/info/faqs>



SHOWER
Multi-function Handshower
G-8664

GRAFF®



Information

- 2 spray patterns: rain and invigorating body massage
- Switch between 2 spray patterns
- Shower hose not included
- Handshower flow rate ≤ 1.5 max gpm
- Includes internal backflow preventer
- CALGreen

Finishes



Brushed
Nickel



Polished
Chrome



Steelnox®
(Satin Nickel)

G-8664

Multifunction Handshower



Product Features

- Switch between 2 spray patterns
- Shower hose not included
- Handshower flow rate ≤ 1.5 max gpm
- CALGreen compliant


Available Finishes

- Polished Chrome G-8664-PC
- Steelnox[®] G-8664-SN

Warranty

- Limited lifetime warranty

For complete warranty information go to <http://www.graff-faucets.com/en/info/faqs>



Ø3-5/15" (Ø84mm)

