
4105 - 'Flamande' Single Lever Mixer




Technical Information

- IAPMO: NSF/ANSI 61, NSF/ANSI 372 & ASME A112.18.1/CSA B125.1 certified.
- Uses Flühs ceramic cartridge.
- Requires 1 1/4" hole drilling.
- Maximum flow rate is 1.2 GPM with low flow restrictor.
- If counter is thicker than 1 ³/₄", Part #18 (Threaded Stem) must be special ordered in a longer size.
- Available finishes are French Weathered Copper & Brass (46), French Weathered Brass (47), Polished Chrome (48), SoliBrass (49), Lacquered Matte Black Nickel (50), Polished Brass (55), Polished Nickel (56), Brushed Nickel (57), Polished Copper & Brass (58), Weathered Copper & Brass (59), Satin Nickel (60), Antique Lacquered Copper & Brass (67), Antique Lacquered Brass (68), Weathered Brass (70), Lacquered Polished Black Nickel (71) and Lacquered Polished Copper (80).
- Faucet ships with wood handle (63). Specify (20) for ceramic handle.
- Please See Cleaning Instructions:
 http://herbeau.com/CleaningAll.pdf
 For Finish Care and Maintenance Information.


Please follow example when ordering parts for 'Flamande' Mixer

- To order part#09 Swan Nut
 - 920008xx
- Please substitute finish number needed in place of **XX**






4105 - 'Flamande' Single Lever Mixer



Copyright©2017 Herbeau Creations. All rights reserved. All product and specifications are subject to change without notice. Herbeau Creations is not responsible for typographical and/or dimensional errors. Typographical errors are subject to correction.

4105 - 'Flamande' Single Lever Mixer



XX = TWO DIGIT FINISH CODE

Copyright©2017 Herbeau Creations. All rights reserved. All product and specifications are subject to change without notice. Herbeau Creations is not responsible for typographical and/or dimensional errors. Typographical errors are subject to correction.