KA1UD33B

33 Inch Undermount Double Bowl Stainless Steel Kitchen Sink



Sink Dimensions

Overall Dimensions: 32 7/8" x 18 3/4" Bowl Dimensions: 15 1/8" x 17" Bowl Depth: 9"

Features

- 16 Gauge Stainless Steel Construction
- Type 18/10 Antibacterial Antibacterial Properties
 - 99.9% reduction of bacteria
 - Escherichia coli
 - Staphyloccus
- Double Bowl Undermount Sink
- Required Minimum Cabinet Size: 36" Left to Right, 24" Front to Back
- Rear Center-Set Drain
- 3 1/2" Drain Opening
- NoiseDefend Undercoating and Sound Dampening Pads

Accessories Included

- Strainer ST-4 x 2
- Bottom Grid BG1517 x 2
- Cut-Out Template
- Mounting Hardware

CODES/STANDARDS:


Product Certification

cUPC (ASME A112.19.3/CSA B45.4), MASS

Warranty

Kraus Limited Lifetime Warranty see website for details www.kraususa.com





BG1517

Kräus[®] SPECIFICATION SHEET


Stainless Steel Kitchen Sink Bottom Grid

Grid Dimensions

Overall Dimensions: 14 3/4" x 12 7/8" x 3/8"


Features


- Commercial grade stainless steel construction
- For Use with the KA1AS17B, KA1US17B, KA1UD33B and KD1US17B kitchen sinks
- Protects bottom of sink from daily wear and tear
- Rubber feet provide additional protection



Warranty

Kraus One Year Limited Warranty see website for details www.kraususa.com





ST-4

Stainless Steel Kitchen Sink Strainer



Strainer Dimensions

Overall Dimensions: $\phi 4\ 1/2"\ x\ 2\ 5/8"$

Features

- Premium Stainless Steel construction
- Fits Standard 3 1/2" or 4" Drain Opening
- Removable Strainer Prevents Debris from Clogging Drain Pipe
- Tailpiece Included
- Decorative Stainless Steel Cover Fits Over Drain



Warranty

Kraus 1 Year Limited Warranty see website for details www.kraususa.com

